


SERIES INCREMENTAL LINEAR ENCODERS



Measuring	Measuring	Measuring	Always order	r by maggiring length (SLIC averall length maggiring length + 10.3%)	
Lengths 2"	Lengths 100"	Lengths 248"	- Always order	r by measuring length (SHG overall length = measuring length + 10.2")	
2 4"	102"	252"	- Profix the ma	easuring length with 0's as necessary to get to 3 digit order code. Example: 2" is 002	
6"	104"	260"	- I Tellx the lik	easuring length with 0.3 as necessary to get to 3 digit order code. Example, 2 13 002	
8"	108"	264"	- Linear Encod	ders include reader head with cable, scale (tube), and brackets to mount the scale (tube)	
10"	110"	276"	Linear Ericoc	include reduct field with cable, scale (tabe), and blackets to mount the scale (tabe)	
12"	112"	284"	- Scale (tube)	mounting kit # 600-80120 is provided with measuring Lengths of 2" to 96"	
14"	116"	286"	000.0 ((0.00)	The arming that it is one contact that the accounting congulation of the first	
16"	120″	288"	- Scale (tube)	mounting kits # EP-2722-D and # 600-84605 (as required) provided with measuring lengths over 100"	
18"	124"	300"	(,	3 . 3	
20"	128″	320"	- Extension ca	bles are sold separately	
22"	132"	324"			
24"	136″	340"	- Bracket kits	to mount the reader head are sold separately	
26"	140"	360"			
28"	144"	384"	Reader Head Bracket Kits		
30"	148″	408"	Part #	Description	
32"	150″	432"	UBK01	Universal Bracket Kit (Mounts two SHG reader heads)	
34"	152"	462"	UBK02	Universal Bracket Kit (Mounts one SHG and one MHG reader head)	
36"	154″		LBK01	Lathe Bracket Kit (Mounts two SHG reader heads)	
38"	156″		LBK02	Lathe Bracket Kit (Mounts one SHG and one MHG reader head)	
40"	160″		BPK01	Bridgeport Bracket Kit (Mounts two SHG reader heads)	
42"	164″		KBK01	Knee Bracket Kit (Mounts one SHG reader head)	
44"	166″				
46"	168″			ile (Tube) Mounting Hardware	
48"	170″		Part #	Description	
50"	172″		600-63610	Single End Mount for SHG scale (tube)	
52"	176″				
54"	180″		Setup Tube		
56"	184"		Part #	Description	
58"	188"		5555555	Alignment Tool for Use During Installation (Free)	
60"	192″				
64"	196"				
68"	200"				
72"	204"				
74"	212"				
76" 80"	216" 220"				
	220" 224"				
82" 84"	224" 232"				
84" 88"	232" 238"				
92″	238 240″				
72	240				

96"

244"




PART # CONFIGURATION FOR

EXTENSION CABLES

for use with

SHG-TT, SHG-TS, SHG-PV, SPB-TT, SPB-TS, MHG-TT, MAG-TS

SERIES LINEAR ENCODERS



INPUT CONNECTOR

09D0 = 9-PIN D CONNECTOR (FEMALE) 09B0 = 12-PIN IP67 RATED CONNECTOR (FEMALE)